AUTHOR INDEX

Ahmed, A. I., gestation period of Egyptian cows and buffaloes, 213–21.
Ali, K. T., dates and date stones as sheep feed, 323–30.
Anthony, K. R. M., soil fertility in Zandeland, 75–88.
Asker, A. A., *see* Ragab, M. T.

Bennie, J. G. S., Mauritius Creole milch cattle, 192–204; grazing behaviour of, 312–16.
Benzian, B., *see* Haines, W. B.
Bolle-Jones, E. W., glasshouse for plant-physiology studies in tropics, 331–8.
Bolton, A., manuring in relation to composition and yield of tobacco seed, 161–6.
Bunting, A. H., pasture plants in Sudan rainlands, 185–91.

Coles, R., sex ratios in domestic fowl, 167–76.
Cooke, G. W., value of rock phosphate applied direct, 295–306.
Cowlishaw, S. J., leaf-protein concentrates for pullets, 223–34.

Dunkin, A. C., *see* Mash, D. G.

Edwards, D. C., ecological regions of Kenya in relation to agricultural development, 89–108.
Edwards, R. S., mechanical sieve for soil tilth experiments, 317–22.
Eyles, D. E., *see* Cowlishaw, S. J.

Fine, N. C., *see* Ali, K. T.
French, M. H., nutritive value of E. African hay, 53–60; effect of restricted water intake on nutrition of cattle, 128–36; effect of restricted hay intake on nutrition of sheep and cattle, 235–44.

Ghoneim, K., *see* Ragab, M. T.
Gibson, T. E., parasitic gastro-enteritis and intensive stocking of sheep, 278–94.

Hagenzreker, F., fertilizer placement in Tanganyika, 109–20.
Haines, W. B., manuring oil palms, 137–60.
Hodnett, G. E., responses of sugar-cane to fertilizers, 1–19; fertilizer response curves in analyses and planning of experiments, 205–12.

Lea, J. D., *see* Bunting, A. H.

Mackenzie, R. E., *see* Michel, J. F.
McLeroy, G. B., *see* Ali, K. T.
Mackness, R. A., seasonality of beef supplies in U.K., 20–26; and in Australia, 271–7.
Mash, D. G., antibiotic supplements for pigs, 121–7.
Michel, J. F., epidemiology of parasitic bronchitis in cattle, 61–74.
Miller, S. J., *see* Moule, G. R.
Moule, G. R., fleece measurement in improvement of flocks in Queensland, 37–51.
Moursi, M. A., relation of yield to gaps in stand of Dasheen, 245–6.

Norris, D. O., legumes and the Rhizobium symbiosis, 247–70.

Pugsley, A. T., gene for resistance of wheat to rust, 178–84.

Quadri, S. W. S., recognition of ryegrass species, 27–36.

Ragab, M. T., wool characteristics of Egyptian sheep hybrids, 307–11.

Sarsam, N. H., *see* Ali, K. T.

Tantawy, A. O., *see* Ahmed, A. I.

Willimott, S. G., *see* Anthony, K. R. M.

SUBJECT INDEX

Antibiotic supplement in pig feeding, 121–7; protein-sparing action of aureomycin in a low-protein diet, 124.
Australia, *see* beef supplies, 271; legumes and the Rhizobium symbiosis, 247; wool (Merino), 37; wheat, resistance to stem rust, 178.

Beef supplies, seasonality of, in U.K., 20–26; home production, 21; imports, 23; in Australia, 271–7; Australian production, 272; Australian exports, 274.
Bronchitis, parasitic, epidemiology of, in adult cattle, 61–74; relation to stocking and grazing practice, 62–70; no evidence of build-up of infection in animals or on pasture, 70; comparative efficiency of different stocking and grazing treatments, 72.
Buffaloes, *see also* Cattle.

Cattle, milch, the Mauritius Creole breed, 192–204; environment, 192; feeding, 193; housing, 194; history, 195; breeding policy, 197; heat tolerance, 198; milk and butter-

AUTHOR INDEX

Ahmed, A. I., gestation period of Egyptian cows and buffaloes, 213–21.
Ali, K. T., dates and date stones as sheep feed, 323–30.
Anthony, K. R. M., soil fertility in Zandeland, 75–88.
Asker, A. A., *see* Ragab, M. T.

Bennie, J. G. S., Mauritius Creole milch cattle, 192–204; grazing behaviour of, 312–16.
Benzian, B., *see* Haines, W. B.
Bolle-Jones, E. W., glasshouse for plant-physiology studies in tropics, 331–8.
Bolton, A., manuring in relation to composition and yield of tobacco seed, 161–6.
Bunting, A. H., pasture plants in Sudan rainlands, 185–91.

Coles, R., sex ratios in domestic fowl, 167–76.
Cooke, G. W., value of rock phosphate applied direct, 295–306.
Cowlishaw, S. J., leaf-protein concentrates for pullets, 223–34.

Dunkin, A. C., *see* Mash, D. G.

Edwards, D. C., ecological regions of Kenya in relation to agricultural development, 89–108.
Edwards, R. S., mechanical sieve for soil tilth experiments, 317–22.
Eyles, D. E., *see* Cowlishaw, S. J.

Fine, N. C., *see* Ali, K. T.
French, M. H., nutritive value of E. African hay, 53–60; effect of restricted water intake on nutrition of cattle, 128–36; effect of restricted hay intake on nutrition of sheep and cattle, 235–44.

Ghoneim, K., *see* Ragab, M. T.
Gibson, T. E., parasitic gastro-enteritis and intensive stocking of sheep, 278–94.

Hagenzreker, F., fertilizer placement in Tanganyika, 109–20.
Haines, W. B., manuring oil palms, 137–60.
Hodnett, G. E., responses of sugar-cane to fertilizers, 1–19; fertilizer response curves in analyses and planning of experiments, 205–12.

Lea, J. D., *see* Bunting, A. H.

Mackenzie, R. E., *see* Michel, J. F.
McLeroy, G. B., *see* Ali, K. T.
Mackness, R. A., seasonality of beef supplies in U.K., 20–26; and in Australia, 271–7.
Mash, D. G., antibiotic supplements for pigs, 121–7.
Michel, J. F., epidemiology of parasitic bronchitis in cattle, 61–74.
Miller, S. J., *see* Moule, G. R.
Moule, G. R., fleece measurement in improvement of flocks in Queensland, 37–51.
Moursi, M. A., relation of yield to gaps in stand of Dasheen, 245–6.

Norris, D. O., legumes and the Rhizobium symbiosis, 247–70.

Pugsley, A. T., gene for resistance of wheat to rust, 178–84.

Quadri, S. W. S., recognition of ryegrass species, 27–36.

Ragab, M. T., wool characteristics of Egyptian sheep hybrids, 307–11.

Sarsam, N. H., *see* Ali, K. T.

Tantawy, A. O., *see* Ahmed, A. I.

Willimott, S. G., *see* Anthony, K. R. M.

SUBJECT INDEX

Antibiotic supplement in pig feeding, 121–7; protein-sparing action of aureomycin in a low-protein diet, 124.
Australia, *see* beef supplies, 271; legumes and the Rhizobium symbiosis, 247; wool (Merino), 37; wheat, resistance to stem rust, 178.

Beef supplies, seasonality of, in U.K., 20–26; home production, 21; imports, 23; in Australia, 271–7; Australian production, 272; Australian exports, 274.
Bronchitis, parasitic, epidemiology of, in adult cattle, 61–74; relation to stocking and grazing practice, 62–70; no evidence of build-up of infection in animals or on pasture, 70; comparative efficiency of different stocking and grazing treatments, 72.
Buffaloes, *see also* Cattle.

Cattle, milch, the Mauritius Creole breed, 192–204; environment, 192; feeding, 193; housing, 194; history, 195; breeding policy, 197; heat tolerance, 198; milk and butter-

fat production, 199; breeding efficiency, 202; disease-resistance and health, 203; grazing behaviour, 312–16; correlated with coat colour, and air temperature, 314. *See also*: parasitic bronchitis of, 61; restricted water intake, effect on nutritive value of hay, with Zebu cattle, 128; gestation periods of Egyptian cows, 213; hay, restricted intake, by Zebu oxen, 235.
Colocasia esculenta, *see* dasheen, 245.
Cows and buffaloes, Egyptian, gestation periods, causes of variations in, 213–21; effects of sex and calving sequence, 214; of birth weight, 216; of weight and age of dam, 217; of sire, 217; of month of calving, 219.

Dasheen (*Colocasia esculenta*), yield in relation to gaps in stand, 245.
Dates and ground date stones as feed for sheep, 323–30; chemical composition, 325; feeding experiments with mixtures of dates and ground date stones, barley, and sesame-seed-oil meal, 324; satisfactory live-weight increases with up to 85 per cent. dates or ground date stones, if supplemented with protein, 328.
Diseases, animal, *see* bronchitis, parasitic, in cattle, 61; gastro-enteritis, parasitic, in sheep, 278.
Diseases, plant, *see Puccinia graminis tritici*, wheat stem rust, 178.

East Africa, *see*: hay, nutritive value, 53; hay, restricted intake of, 235; water intake, 128; *see also* Kenya, Tanganyika.
Ecological regions of Kenya in relation to agricultural development, 89–108; climate, 89; plant communities, 91; classification of ecological regions in relation to development, 106.
Egypt, *see* cows and buffaloes, 213; wool characteristics, 307; dasheen, 245.

Feedingstuffs and fodders, *see*: hay, E. African, 53, 235; antibiotic supplements for pigs, 121; restricted water intake, effect on digestibility of hay, 128; pastures and pasture plants in Sudan rainlands, 185; leaf-protein concentrates for pullets, 223; dates and ground date stones, 323.
Fertilizer placement in subsoil in Tanganyika, 109–20; soil-profile and root-development studies, 110; fertilizer experiments, 115; effectiveness of deep-placement of superphosphate related to phosphate distribution in the profile, and rooting habit of crop, 119.

Gastro-enteritis, parasitic, in sheep under intensive stocking, 278–94; experiments in 1953, 281; in 1954, 281; in 1955, 282; intensive grazing involves serious danger of infection, 282.
Glasshouse for plant-physiological investigations in tropics, 331–8; design and construction, 332; efficiency of the glasshouse, 334.

Hay, nutritive value, in E. Africa, 53–60; composition, digestibility, 54; comparison of species of grass, 57; restricted intake of, effect on digestibility, with E. African sheep and Zebu oxen, 235–44; composition of hays used, 239; results with sheep, 239; with oxen, 239; food shortage without effect no digestibility except for increase with fibre fraction, 243.

Iraq, *see* dates and ground date stones, 323.

Kenya, *see* ecological regions of Kenya, 89.

Leaf-protein concentrates for pullets, 223–34; effect on weight, maturity, and food consumption compared with fish meal and groundnut meal, 224; and on egg production, in high- and low-protein diets, 228, 230; leaf protein inferior to fish-meal protein for egg production, 233.
Legumes and the Rhizobium symbiosis, 247–70; cross-inoculation groups, 251; Rhizobium classification, 253; origin and distribution of the Leguminosae, 254; 'cowpea' type the ancestral type, 260; a 'symbiotic rating' suggested, 265.

Malaya, *see* glasshouse for plant physiological investigations, 331.
Manures and fertilizers, effects of, *see* sugar-cane, 1, 205; deep placement of superphosphate, 109; manuring of oil palm, 137; tobacco-seed production, 161; phosphate rock, 295.
Mauritius, *see* cattle, milch, 192, 312.

Oil palms, manuring of, in Africa, 137–60; details of experiments, 137; main effects and interactions, 141; rates of application in relation to effects, 147; edge effects, 148; beneficial effects of potash, in relation to grading of palms, 149; and in relation to disease, 150; leaf analysis, 151; effects on fruit weight and bunch numbers, 151; residual effects, 153; annual and longer-term yield cycles, 154.

Pastures and pasture plants in the Sudan rainlands, 185–91; natural pastures, 186; legume and grass observation plots, 187; mixed grass-and-legume pastures, 191.
Phosphate rock, value for direct application, 295–306; kinds of phosphate studied, 296; results of field experiments, 296; of pot experiments, 297; effect of fineness of grinding, 301; immediate value for various crops, 302; residual effects, 304; composting, 305.
Pigs, *see* antibiotics in feeding of, 121.
Poultry: primary and secondary sex ratios in domestic fowl, 167–77; data on manually sexed chicks from various hatcheries and a flock of White Leghorns analysed, 169; relation between hatching rates and secondary sex ratios, 172; hatching rates and post-hatching mortality, 174; embryonic mor-

tality and sex ratio, 176. *See also* leaf-protein concentrates for pullets, 223.

Rhizobium, *see* legumes, 247.
Rhodesia, *see* tobacco-seed production, 161.
Ryegrass species and strains, recognition of as seedlings, 27–36; key for their identification, 34.

Sex ratios in domestic fowl, *see* poultry, 167.
Sheep, *see*: wool (Merino), 37; E. African hair sheep, 235; parasitic gastro-enteritis, 278; wool (Egyptian), 307; feeding with dates, 323.
Soil fertility in Sudan (Zandeland), 75–88; climate, geology, and vegetation in relation to soils, 76; rotations compared, 78; description of soils, 81; fallow regeneration, 86.
Soil tilth, mechanical sieve for study of, 317–22; design, 318; operation, 318; performance, 321.
Sudan, *see* pastures and pasture plants, 185; soil fertility, 75.
Sugar-cane, response to fertilizers, 1–19; effect on sugar content, 3; response curves and standard responses, 5, 205; to nitrogen, 8; to phosphate, 12; to potash, 14; interactions, 16; organic manures and other treatments, 17; fertilizer response curves, 205–12; form of curves, 205; standard responses, 207; relation to experimental designs, 209.

Tanganyika, *see* fertilizer placement in subsoil, 109.
Tobacco-seed production; relation between rate of applied nutrients, leaf composition, and yield, 161–6; effects of nitrogen, phosphate, potash, magnesia, 165.

Veal, *see* beef supplies, 20, 271.

Water-intake, restriction of, effect on consumption and digestibility of hay with Zebu cattle, 128–36; watering régimes compared, 130; consumption under different watering frequencies, 131; digestibility coefficients on different watering régimes, 133; digestible crude protein and starch equivalent intakes, 135; higher crude-fibre digestibility with most restricted watering, 136.
West Africa, *see* oil-palm manuring, 137.
Wheat, resistance to stem rust, due to gene Sr Ka 1, 178–84; wheat varieties and rust races studied, 179; results of crosses, 180; resistance gene Sr Ka 1 widely distributed among parental varieties, and effective against various races of stem rust, 183; need for international 'type' collection of varieties, 184.
Wool characteristics of Egyptian sheep, effect of crossing, 307–11; staple length, 308; fibre length, 308; fibre diameter, 310; fleece measurements, use in improvement of Merino flocks in Queensland, 37–47; the Queensland Merino-sheep industry, 38; characters contributing to fleece weight, 39; fleece measurements used in breeding stud sheep, 41; results obtained, 45.